

Recombinant Anti-CLDN18.2 Antibody (V3S-0822-YC2849)

Cat. No.: V3S-0822-YC2849

Summary

Description	This product is a mouse monoclonal antibody provided by Creative Biolabs. The antibody is capable of recognizing Claudin 18.2. It can be used for CLDN18.2 detection in Enzyme-Linked Immunosorbent Assay (ELISA). The antibody is expressed in mammalian cells (293F or CHO) with antibody encoding genes and purified by affinity chromatography. Each lot of this antibody is quality control tested by SDS-PAGE and SEC-HPLC analysis. For highly sensitive assays, we recommend the ultra purified form of the product, which has a lower endotoxin limit than standard antibody, less than 1 EU/mg or even 0.1 EU/mg.
Clonality	Monoclonal
Host Species	Mouse
Target Species	Human
Isotype	IgG3 kappa
Isotype Control	C33746
Secondary Antibody	C47504; C37557; C41360; C32672; C10001; C17516; C62514; C16540

Property

Expression Species	HEK293F or CHO cell line
Conjugation	Unconjugated, also available for Biotin, HRP, FITC and PE-labeled form.
Purity	>95%, determined by SDS-PAGE and SEC-HPLC
Endotoxin	<1 EU/mg, determined by LAL method
Purification	Protein A or G purified
Sterility	0.2 µM filtered
Formulation	PBS, pH 7.4
Preservation	No preservatives
Storage	Store at 4°C within one or two weeks. Store at -20°C for long term. Avoid repeated freeze/thaw cycles. Refer to the COA file for specifics.

Applications

For lab research use only, not for diagnostic, therapeutic or any *in vivo* human use.

Application ELISA

Target

Target CLDN18.2

Alternative Name Claudin 18.2

Introduction Claudin 18.2 (CLDN 18.2) is a stomach-specific isoform of Claudin-18. CLDN18.2 is a highly selective gastric lineage antigen expressed exclusively on short-lived differentiated gastric epithelial cells. CLDN18.2 is maintained in the course of malignant transformation and thus frequently displayed on the surface of human gastric cancer cells. Moreover, this pan-tumoral antigen is ectopically activated at significant levels in esophageal, pancreatic and lung adenocarcinomas. The CLDN18.2 protein is also localized in lymph node metastases of gastric cancer adenocarcinomas and in distant metastases especially into the ovary (so-called Krukenberg tumors).

Research Area Cellular Marker

For lab research use only, not for diagnostic, therapeutic or any *in vivo* human use.